



**DEEP BOWL**  
**INCANDESCENT**  
 CLASSIC SHAPES

PROJECT: \_\_\_\_\_

QUANTITY: \_\_\_\_\_ TYPE: \_\_\_\_\_



DB1615INC  
 MB - Matte Black



DB1615INC  
 MW - Matte White



DB1615INC  
 PT - Platinum Silver



DB1615INC  
 BZ - Bronze

SERIES	ACCESSORIES <sup>1</sup>	MOUNTING <sup>3</sup>	INTERIOR <sup>6</sup>	FINISH <sup>6</sup>	WET KIT
DB1009INC DB1211INC DB1413INC DB1615INC DB1817INC	<b>ENCLOSURES</b> <b>FJ1<sup>2</sup></b> 3"x6.5" Frosted Glass <b>GJ1</b> 3"x6.5" Clear Glass <b>CG1</b> Cast Wire Guard	<b>WALL MOUNT</b> <b>CP6<sup>3</sup></b> Wall Pipe Interface <b>CP3</b> CP6 Decorative Cover <b>PA<sup>4</sup></b> Mounting Arm Style <b>SP90<sup>4</sup></b> Straight Arm	<b>MW1<sup>6</sup></b> Matte White <b>CCI</b> Custom Color <b>FCI</b> Fixture Color Interior	<b>MW<sup>7</sup></b> Matte White <b>MB<sup>7</sup></b> Matte Black <b>PT<sup>7</sup></b> Platinum Silver <b>CC</b> Custom Color	<b>WLKA</b> Wet Location Kit
		<b>CEILING MOUNT</b> <b>HM<sup>5</sup></b> Hang Straight Pendant <b>AT<sup>5</sup></b> Adjustable Length Hang <b>PM<sup>5</sup></b> Straight Pendant <b>PM<sup>5</sup></b> Pendant/Straight Mount <b>CD<sup>5</sup></b> Cord and Cable Mount <b>CM<sup>5</sup></b> Cord Mount			

EXAMPLE: DB1211INC/FJ1/CD36/MWIRD


**NOTES:**  
 1 See Enclosures & Guards Page for Wire Guards and Additional Options 2 Standard Enclosure 3 See Mounting Pages Options and Details on Components and Finishes  
 4 See Mounting Page for Available Arm Options 5 Specify Length in Inches: See Mounting Page for Available Lengths 6 See Color Page for More Options/Consult Factory for  
 Special Finishes 7 Standard Interior Finish





**DEEP BOWL  
INCANDESCENT  
CLASSIC SHAPES**

**HOUSING DIMENSIONS**



Dimensioned with **DB1615INC**

SERIES	A	B
DB1009INC	10.6	9.8
DB1211INC	12.5	12.7
DB1413INC	14.5	14.7
DB1615INC	16.8	16.7
DB1817INC	18.5	18.7

**APPLICATION**

The Deep Bowl is one of our most popular RLM styles for general lighting. INC Series is designed for indoor damp locations.

**FEATURES**

Spectrum Lighting's RLM Classics are reproductions of early American lighting fixtures reimagined with modern INC light sources and materials. The wide range of options for illumination, mounting, enclosures, guards and finishes allows for creative fixture specification and design. Fixture available in five sizes.

**FINISH**

Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available. Matte White interior standard. Custom Color interior finishes available.

**ELECTRONICS**

E26 Edison medium base 120V socket for incandescent or LED lamps.

**CONSTRUCTION**

Fixture shades are spun in our factory from 0.063 high purity aluminum. Wall mount canopies are die-cast aluminum with stainless steel hardware. Wall arms are formed 3/4 NPT aluminum pipe.

**CODE COMPLIANCE**

BAA Compliant. ETL listed for dry/damp locations. Manufactured and tested to UL standards No. 1598/8750.

**SERIES SIZES**

**DB1009INC**



**DB1211INC**



**DB1413INC**



**DB1615INC**



**DB1817INC**



**ENCLOSURES**

**FJ1**  
3" FROSTED GLASS



**GJ1**  
3" CLEAR GLASS



**ENCLOSURE WIRE GUARDS**

**CG1**  
3" CAST GUARD



**WALL MOUNT**

(SEE MOUNTING PAGES FOR MORE OPTIONS & DIMENSIONS.)

**PA\_**  
MOUNTING ARM STYLE



**CEILING MOUNT**

(SEE MOUNTING PAGES FOR MORE OPTIONS & CANOPY DIMENSIONS.)

**HM / AT / PM**  
HANG STRAIGHT / ALL THREAD / PENDANT



**CD**  
CORD / CABLE MOUNT



**CM**  
CORD MOUNT




# MOUNTING & ACCESSORIES

SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES. CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.  
NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.




## WALL MOUNTING

**CP6** - MOUNTS DIRECTLY TO WALL OR OCTAGON STYLE J-BOX



CUSTOM AND OTHER WALL ARMS AVAILABLE - CONTACT FACTORY. ARMS MAY BE FIELD CUT ON WALL SIDE - FIXTURE SIDE THREADED 3/4" NPT REQUIRES SEALANT FOR WET LOCATION.



## CEILING MOUNTING

<p><b>HM*</b> HANG STRAIGHT 45° SWIVEL 5/8" OD STEM - 3/8" IP</p> <p>ORDER: HM (Length) SPECIFY LENGTH: HM3 - 3"    HM24 - 24" HM6 - 6"    HM36 - 36" HM12 - 12"    HM48 - 48" HM18 - 18"    HM72 - 72" <b>HMLC(XX)</b> Custom Length (Specify in Inches)</p>	<p><b>PM*</b> RIGID PENDANT MOUNT RIGID 5/8" OD STEM - 3/8" IP</p> <p>ORDER: PM (Length) SPECIFY LENGTH: PM3 - 3"    PM24 - 24" PM6 - 6"    PM36 - 36" PM12 - 12"    PM48 - 48" PM18 - 18"    PM72 - 72" <b>PMLC(XX)</b> Custom Length (Specify in Inches)</p>	<p><b>AT**</b> HANG STRAIGHT ALL THREAD 45° SWIVEL 5/8" OD STEM - 1/4" IP</p> <p>ORDER: AT (Length) SPECIFY LENGTH: AT12 - 12"    AT48 - 48" AT24 - 24"    AT60 - 60" AT36 - 36"    AT72 - 72" <small>FIELD CUT THREADED PIPE 3" LENGTH MINIMUM CUT PIPE COVERED W/ SHORTER STAIN THREADED PIPE SLIP PIPE COVER OVER THREADED PIPE</small></p>	<p><b>CD</b> CORD / CABLE MOUNT SJ CORD WITH 1/16 SS CABLE</p> <p>ORDER: CD (Length) SPECIFY LENGTH: CD36 - 36" CD72 - 72" CD144 - 144" <b>CDLC(XX)</b> Custom Length (Specify in Inches)</p>	<p><b>CM</b> CORD MOUNT SJ CORD WITH STRAIN RELIEF</p> <p>ORDER: CM (Length) SPECIFY LENGTH: CM36 - 36" CM72 - 72" CM144 - 144" <b>CMLC(XX)</b> Custom Length (Specify in Inches)</p>
---	--	--	---	---

\*MAXIMUM ONE PIECE STEM LENGTH IS 72". \*\*MAXIMUM ONE PIECE STEM LENGTH IS 36". LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS.  
\*\*ORDER IN 12" INCREMENTS, ODD SIZES MAY BE FIELD CUT



# COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL.  
SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.



## STANDARD CORD / STEM / CANOPY FINISHES


FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR
Matte White, Textured White	Matte White	Matte White
Gloss White	Matte White	Gloss White
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black
All Others	Matte Black	Same Color as Fixture
Custom Color	Contact Factory	Contact Factory

## PAINT TIMES


TIER	COST	AVERAGE PAINT TIME*
Tier 1 - Standard Finishes	\$	⓪
Tier 2 - Typical Finishes	\$\$	⓪⓪
Tier 3 - Special Metal Finishes	\$\$\$	⓪⓪⓪
Custom Color	Contact Factory	Contact Factory

\*CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES

## TIER 1 - STANDARD FINISHES



## TIER 2 - TYPICAL FINISHES



## TIER 3 - SPECIAL METAL FINISHES

NOT AVAILABLE ON ALL FIXTURES. PLEASE CONSULT SPECIFICATION SHEETS OR FACTORY FOR AVAILABILITY.



## CUSTOM COLOR FINISHES

CONTACT FACTORY

**CC**  
Custom Color



\*UNAVAILABLE FOR WET LOCATION

\*\* UNAVAILABLE FOR INTERIOR