



VAPOR TIGHT SERIES
INCANDESCENT
 SUBWAY LINE

PROJECT: _____

QUANTITY: _____ TYPE: _____



WJ1X2INC
 PT - Platinum Silver



WJ1X2INC
 BZ - Bronze



WJ1X2INC
 MW - Matte White



WJ1X2INC
 MB - Matte Black

SERIES	ACCESSORIES ¹	MOUNTING ³	FINISH ⁴	WET KIT
WJ1X2INC	ENCLOSURES	CP6 Wall Pipe Interface	MW ⁵ Matte White MB ⁵ Matte Black PT ⁵ Platinum Silver CC Custom Color	WLKA Wet Location Kit
	FJ1 ² 3"x6.5" Frosted Glass GJ1 3"x6.5" Clear Glass CG1 Cast Wire Guard		See Page 3 for Full Range of Color Options (83-90083)	

EXAMPLE: WJ1X2INC/FJ1/CP6/MW


NOTES:
 1 See Enclosures & Guards Page for Wire Guards and Additional Options 2 Standard Enclosure 3 See Mounting Pages Options and Details on Components and Finishes
 4 See Color Page for More Options/Consult Factory for Special Finishes 5 Standard Interior Finish





VAPOR TIGHT SERIES
INCANDESCENT
 SUBWAY LINE

HOUSING DIMENSIONS



A	B	C	D
22.7	4.2	5.0	4.6
576.6 mm	106.7 mm	127 mm	116.8 mm

APPLICATION

The Vapor Tight series with T-fitting for twin fixture mount.

FEATURES

Spectrum Lighting's RLM Classics are reproductions of early American lighting fixtures reimagined with modern LED light sources and materials. The wide range of combinations for lamping, enclosures, and finishes allows for creative fixture specification and design. Frosted lamp enclosure (FJ1) is standard. A variety of colored lamp enclosures are available. LED module and driver are serviceable for future replacement.

FINISH

Multi-stage polyester powder-coat process applied on our dedicated paint lines. A wide variety of standard and custom finishes are available. All exposed materials are chromate pretreated to resist corrosion.

ELECTRONICS

E26 Edison medium base 120V socket for incandescent or LED lamps.

CONSTRUCTION

Fixture is constructed of spun and die-cast heavy gauge aluminum.

CODE COMPLIANCE

BAA Compliant. ETL/UL for damp locations. Optional Wet location. Manufactured and tested to UL standards No. 1598/8750.

ENCLOSURES

FJ1
3" FROSTED GLASS



GJ1
3" CLEAR GLASS



ENCLOSURE WIRE GUARDS

CG1
3" CAST GUARD



COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL.
SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.



STANDARD CORD / STEM / CANOPY FINISHES

FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR
Matte White, Textured White	Matte White	Matte White
Gloss White	Matte White	Gloss White
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black
All Others	Matte Black	Same Color as Fixture
Custom Color	Contact Factory	Contact Factory

PAINT TIMES

TIER	COST	AVERAGE PAINT TIME*
Tier 1 - Standard Finishes	\$	⓪
Tier 2 - Typical Finishes	\$\$	⓪⓪
Tier 3 - Special Metal Finishes	\$\$\$	⓪⓪⓪
Custom Color	Contact Factory	Contact Factory

*CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES


TIER 1 - STANDARD FINISHES



TIER 2 - TYPICAL FINISHES



TIER 3 - SPECIAL METAL FINISHES



CUSTOM COLOR FINISHES

CONTACT FACTORY

CC
Custom Color



*UNAVAILABLE FOR WET LOCATION