




**TETON**  
**INCANDESCENT**  
 DOMO SHADES



A	B
16.1	13.4
408.9 mm	340.36 mm

PROJECT: \_\_\_\_\_  
 QUANTITY: \_\_\_\_\_ TYPE: \_\_\_\_\_

**EG1612INC**

**APPLICATION**

Teton offers a clean design for decorative area lighting.

**FEATURES**

Spectrum Lighting's RLM Series are interpretations of classic lighting fixtures reimagined with modern INC light sources and materials. The wide range of combinations for illumination, mounting, enclosures, guards and finishes allows for creative fixture specification and design. A variety of lamp enclosures are available as well as guards and light shields. Fixtures may be wall or pendant mounted with standard or custom wall arm (goosenecks) and pendants. MR16 and LED lamping available.

**FINISH**

Multi-stage polyester powder-coat process applied on our dedicated paint lines. A wide variety of standard and custom finishes are available. All exposed materials are chromate pretreated to resist corrosion. Interior is Matte White unless specified. Custom Color interior finishes available.

**CONSTRUCTION**

Fixture shades are spun in our factory from 0.063 high purity aluminum. Wall enclosures and fittings are die-cast aluminum with stainless steel hardware. Wall arms are formed 3/4 NPT aluminum pipe. Gaskets are machine cut neoprene.

**CODE COMPLIANCE**

ETL listed for damp locations. Manufactured and tested to UL standard No. 1598.

SERIES	MOUNTING <sup>1</sup>	INTERIOR <sup>4</sup>	FINISH <sup>4</sup>
EG1612INC	WALL MOUNT	<b>MW</b> <sup>5</sup> Matte White <b>CCI</b> Custom Color <b>FCI</b> Fixture Color Interior	<b>MW</b> <sup>5</sup> Matte White <b>MB</b> <sup>5</sup> Matte Black <b>PT</b> <sup>5</sup> Platinum Silver <b>CC</b> Custom Color
	<b>CP6</b> <sup>1</sup> Wall Pipe Interface <b>CP3</b> CP6 Decorative Cover <b>PA</b> <sup>2</sup> Mounting Arm Style <b>SP90</b> <sup>2</sup> Straight Arm		
	CEILING MOUNT	See Page 3 for Full Range of Color Options (83-90082)	See Page 3 for Full Range of Color Options (83-90082)
	<b>HM</b> <sup>3</sup> Hang Straight Pendant <b>AT</b> <sup>3</sup> Hang Straight All Thread <b>PM</b> <sup>3</sup> Pendant/Straight Mount <b>CD</b> <sup>3</sup> Cord and Cable Mount <b>CM</b> <sup>3</sup> Cord Mount		

**EXAMPLE:** EG1612INC/HM24/GWFCIMW

**NOTES:**  
 1 See Mounting Pages Options and Details on Components and Finishes 2 See Mounting Page for Available Arm Options 3 Specify Length in Inches: See Mounting Page for Available Lengths 4 See Color Page for More Options/Consult Factory for Special Finishes 5 Standard Finishes




# MOUNTING & ACCESSORIES

SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES. CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.  
NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.




## WALL MOUNTING

**CP6** - MOUNTS DIRECTLY TO WALL OR OCTAGON STYLE J-BOX




CUSTOM AND OTHER WALL ARMS AVAILABLE - CONTACT FACTORY. ARMS MAY BE FIELD CUT ON WALL SIDE - FIXTURE SIDE THREADED 3/4" NPT REQUIRES SEALANT FOR WET LOCATION.




## CEILING MOUNTING

**HM\***  
HANG STRAIGHT  
45° SWIVEL 5/8" OD STEM - 3/8" IP




ORDER: HM (Length)  
SPECIFY LENGTH:  
**HM3** - 3"    **HM24** - 24"  
**HM6** - 6"    **HM36** - 36"  
**HM12** - 12"    **HM48** - 48"  
**HM18** - 18"    **HM72** - 72"  
**HMLC(XX)**  
Custom Length  
(Specify in Inches)

**PM\***  
RIGID PENDANT MOUNT  
RIGID 5/8" OD STEM - 3/8" IP




ORDER: PM (Length)  
SPECIFY LENGTH:  
**PM3** - 3"    **PM24** - 24"  
**PM6** - 6"    **PM36** - 36"  
**PM12** - 12"    **PM48** - 48"  
**PM18** - 18"    **PM72** - 72"  
**PMLC(XX)**  
Custom Length  
(Specify in Inches)

**AT\*\***  
HANG STRAIGHT ALL THREAD  
45° SWIVEL 5/8" OD STEM - 1/4" IP



ORDER: AT (Length)  
SPECIFY LENGTH:  
**AT12** - 12"    **AT48** - 48"  
**AT24** - 24"    **AT60** - 60"  
**AT36** - 36"    **AT72** - 72"  
**FIELD CUT THREADED PIPE**  
30" LENGTH NEEDED  
CUT PIPE COVERED UP SHORTER  
STAIN THREADED PIPE  
SLIP PIPE COVER OVER THREADED PIPE

**CD**  
CORD / CABLE MOUNT  
SJ CORD WITH 1/16 SS CABLE



ORDER: CD (Length)  
SPECIFY LENGTH:  
**CD36** - 36"  
**CD72** - 72"  
**CD144** - 144"  
**CDLC(XX)**  
Custom Length  
(Specify in Inches)

**CM**  
CORD MOUNT  
SJ CORD WITH STRAIN RELIEF



ORDER: CM (Length)  
SPECIFY LENGTH:  
**CM36** - 36"  
**CM72** - 72"  
**CM144** - 144"  
**CMLC(XX)**  
Custom Length  
(Specify in Inches)

\*MAXIMUM ONE PIECE STEM LENGTH IS 72". \*\*MAXIMUM ONE PIECE STEM LENGTH IS 36". LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS.  
\*\*ORDER IN 12" INCREMENTS. ODD SIZES MAY BE FIELD CUT



# COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL.  
SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.



## STANDARD CORD / STEM / CANOPY FINISHES

FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR
Matte White, Textured White	Matte White	Matte White
Gloss White	Matte White	Gloss White
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black
All Others	Matte Black	Same Color as Fixture
Custom Color	Contact Factory	Contact Factory

## PAINT TIMES

TIER	COST	AVERAGE PAINT TIME*
Tier 1 - Standard Finishes	\$	⓪
Tier 2 - Typical Finishes	\$\$	⓪⓪
Tier 3 - Special Metal Finishes	\$\$\$	⓪⓪⓪
Custom Color	Contact Factory	Contact Factory

\*CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES


## TIER 1 - STANDARD FINISHES



## TIER 2 - TYPICAL FINISHES



## TIER 3 - SPECIAL METAL FINISHES



## CUSTOM COLOR FINISHES

CONTACT FACTORY

**CC**  
Custom Color



\*UNAVAILABLE FOR WET LOCATION

\*\*UNAVAILABLE FOR INTERIOR

