



SHORT WAREHOUSE SHADE
INCANDESCENT
 CLASSIC SHAPES

PROJECT: _____

QUANTITY: _____ TYPE: _____



SW1509INC
BZ - Bronze



SW1509INC
MW - Matte White



SW1509INC
MB - Matte Black



SW1509INC
PT - Platinum Silver

SERIES	ACCESSORIES ¹	MOUNTING ³	INTERIOR ⁶	FINISH ⁶	WET KIT
SW1509INC SW1910INC	ENCLOSURES FJ1² 3"x6.5" Frosted Glass GJ1 3"x6.5" Clear Glass CG1 Cast Wire Guard	WALL MOUNT	MW1⁷ Matte White CCI Custom Color FCI Fixture Color Interior	MW1⁷ Matte White MB1⁷ Matte Black PT1⁷ Platinum Silver CC Custom Color	WLKA Wet Location Kit
		CEILING MOUNT			
		CP6³ Wall Pipe Interface CP3 CP6 Decorative Cover PA_4 Mounting Arm Style SP90_4 Straight Arm	See Page 4 for Full Range of Color Options (83-90082)	See Page 4 for Full Range of Color Options (83-90082)	
		HM_5 Hang Straight Pendant AT_5 Adjustable Length Hang Straight Pendant PM_5 Pendant/Straight Mount CD_5 Cord and Cable Mount CM_5 Cord Mount			

EXAMPLE: SW1910INC/FJ1/HM36/MWIMB


NOTES:
 1 See Enclosures & Guards Page for Wire Guards and Additional Options 2 Standard Enclosure 3 See Mounting Pages Options and Details on Components and Finishes
 4 See Mounting Page for Available Arm Options 5 Specify Length in Inches: See Mounting Page for Available Lengths 6 See Color Page for More Options/Consult Factory for Special Finishes 7 Standard Interior Finish





SHORT WAREHOUSE SHADE
INCANDESCENT
 CLASSIC SHAPES

HOUSING DIMENSIONS



Dimensioned with **SW1509INC**

SERIES	A	B
SW1509INC	14.5	9.0
SW1910INC	18.5	10.0

APPLICATION

The Short Warehouse Shade is a shallow version of our most popular Warehouse Shades.

FEATURES

Spectrum Lighting's RLM Classics are inspired by vintage lighting fixtures redesigned with modern LED light sources and materials. The wide range of options for illumination, mounting, enclosures, guards and finishes allows for creative fixture specification and design. LED module and driver are serviceable for future replacement.

FINISH

Multi-stage polyester powder-coat process applied on our dedicated paint lines. Variety of standard and custom finishes are available. Interior is Matte White unless specified. Custom Color interior finishes available.

ELECTRONICS

E26 Edison medium base 120V socket for incandescent or LED lamps.

CONSTRUCTION

Fixture shades are spun in our factory from 0.063 high purity aluminum. Wall mount canopies are die-cast aluminum with stainless steel hardware. Wall arms are formed 3/4 NPT aluminum pipe and may be field cut.

CODE COMPLIANCE

BAA compliant. ETL certified to meet US and Canadian standards. Suitable for dry or damp locations. Wet Location Option. Manufactured and tested to UL standards No. 1598/8750.

SERIES SIZES

SW1509INC



SW1910INC



ENCLOSURES

FJ1
3" FROSTED GLASS



GJ1
3" CLEAR GLASS



ENCLOSURE WIRE GUARDS

CG1
3" CAST GUARD




MOUNTING & ACCESSORIES

SOME OPTIONS NOT AVAILABLE ON ALL FIXTURES. CONSULT SPECIFICATION SHEETS. SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION. NOTE: THIS IS TYPICAL OF RLM SPECIFICATION FOR MOUNTING. INDIVIDUAL FIXTURES OR PROJECTS MAY HAVE SPECIALIZED REQUIREMENTS.




WALL MOUNTING

CP6 - MOUNTS DIRECTLY TO WALL OR OCTAGON STYLE J-BOX



CUSTOM AND OTHER WALL ARMS AVAILABLE - CONTACT FACTORY. ARMS MAY BE FIELD CUT ON WALL SIDE - FIXTURE SIDE THREADED 3/4" NPT REQUIRES SEALANT FOR WET LOCATION.



CEILING MOUNTING

<p>HM* HANG STRAIGHT 45° SWIVEL 5/8" OD STEM - 3/8" IP</p> <p>ORDER: HM (Length) SPECIFY LENGTH: HM3 - 3" HM24 - 24" HM6 - 6" HM36 - 36" HM12 - 12" HM48 - 48" HM18 - 18" HM72 - 72"</p> <p>HMLC(XX) Custom Length (Specify in Inches)</p>	<p>PM* RIGID PENDANT MOUNT RIGID 5/8" OD STEM - 3/8" IP</p> <p>ORDER: PM (Length) SPECIFY LENGTH: PM3 - 3" PM24 - 24" PM6 - 6" PM36 - 36" PM12 - 12" PM48 - 48" PM18 - 18" PM72 - 72"</p> <p>PMLC(XX) Custom Length (Specify in Inches)</p>	<p>AT** HANG STRAIGHT ALL THREAD 45° SWIVEL 5/8" OD STEM - 1/4" IP</p> <p>ORDER: AT (Length) SPECIFY LENGTH: AT12 - 12" AT48 - 48" AT24 - 24" AT60 - 60" AT36 - 36" AT72 - 72"</p> <p>FIELD CUT THREADED PIPE 5" LENGTH MINIMUM CUT PIPE COVERED W/ SHORTER SLIP PIPE COVER OVER THREADED PIPE</p>	<p>CD CORD / CABLE MOUNT SJ CORD WITH 1/16 SS CABLE</p> <p>ORDER: CD (Length) SPECIFY LENGTH: CD36 - 36" CD72 - 72" CD144 - 144"</p> <p>CDLC(XX) Custom Length (Specify in Inches)</p>	<p>CM CORD MOUNT SJ CORD WITH STRAIN RELIEF</p> <p>ORDER: CM (Length) SPECIFY LENGTH: CM36 - 36" CM72 - 72" CM144 - 144"</p> <p>CMLC(XX) Custom Length (Specify in Inches)</p>
--	---	--	--	--

*MAXIMUM ONE PIECE STEM LENGTH IS 72". **MAXIMUM ONE PIECE STEM LENGTH IS 36". LONGER LENGTHS ARE POSSIBLE USING MULTIPLE STEMS AND COUPLERS.
**ORDER IN 12" INCREMENTS, ODD SIZES MAY BE FIELD CUT



COLOR OPTIONS - POWDER COAT PAINT FINISHES

NOTE: NO PRINTED IMAGE CAN EQUAL THE EXACT COLOR OF FINISH ON METAL.
SEE INDIVIDUAL SPECIFICATION SHEETS OR CONSULT FACTORY FOR ADDITIONAL INFORMATION.



STANDARD CORD / STEM / CANOPY FINISHES


FIXTURE COLOR	STANDARD CORD COLOR	STANDARD CANOPY / STEM COLOR
Matte White, Textured White	Matte White	Matte White
Gloss White	Matte White	Gloss White
Matte Black, Gloss Black, Textured Black	Matte Black	Matte Black
All Others	Matte Black	Same Color as Fixture
Custom Color	Contact Factory	Contact Factory

PAINT TIMES


TIER	COST	AVERAGE PAINT TIME*
Tier 1 - Standard Finishes	\$	⓪
Tier 2 - Typical Finishes	\$\$	⓪⓪
Tier 3 - Special Metal Finishes	\$\$\$	⓪⓪⓪
Custom Color	Contact Factory	Contact Factory

*CONTACT FACTORY FOR SPECIFIC PRODUCT LEAD TIMES

TIER 1 - STANDARD FINISHES



TIER 2 - TYPICAL FINISHES



TIER 3 - SPECIAL METAL FINISHES

NOT AVAILABLE ON ALL FIXTURES. PLEASE CONSULT SPECIFICATION SHEETS OR FACTORY FOR AVAILABILITY.



CUSTOM COLOR FINISHES

CONTACT FACTORY

CC
Custom Color



*UNAVAILABLE FOR WET LOCATION

** UNAVAILABLE FOR INTERIOR